

THE PISCES

Meter and Timer Water Softeners



THE PISCES MODELS ARE HIGH SPECIFICATION SOFTENERS DESIGNED IN TWO DIFFERENT WAYS! METER AND TIMER CONTROLLED: TO SAVE YOU MONEY AND TIME WITH FULLY AUTOMATIC SETTING AND MANUAL OVERRIDE SO YOU ARE IN TOTAL CONTROL OF THE SOFTENED WATER IN YOUR HOME!

- SAVE MONEY ON CLEANING PRODUCTS
- EXTEND THE LIFE OF YOUR APPLIANCES.
- COMPACT TO FIT UNDER YOUR SINK
- FULLY AUTOMATIC
- EASY DIAL POWERHEAD
- NO MORE SCALE OR SCUM ON SHOWER HEADS AND BATH TUBS
- MAKE YOUR MONEY BACK ON THE MONEY YOU SAVE!




THE PISCES METERTIMER

THE BENEFITS OF THE PISCES UNITS ENCOMPAS MANY THINGS THAT MAKE USING THESE MODELS VERY SIMPLE AND ECONOMIC.

THESE UNITS HAVE FEATURES THAT ARE FULLY AUTOMATIC SO THERE IS NEARLY NO MAINTENANCE FOR YOUR SOFTENER AFTER IT IS INSTALLED.

THE UNIT HAS DIMENSIONS OF:
THE FAST REGENERATION CALLS FOR LITTLE SALT AND THE SLIM SIZE OF UNIT WILL FIT NEATLY BESIDE YOUR KITCHEN CONSUMABLES!








width	270mm
depth	430mm
height	636mm
persons	1 to 5
flow rate	400
regeneration volume@300 mg/l	1500 litres



The symbols on the Pisces unit power head face make for simple recognition of what stage your softener is in, guiding commands and automatic options and override. All the units come with installation instructions and fittings for most kitchen pipework!


Pisces

SYMBOLS ON A PISCES FACE

-  Service
-  Time of day
-  Regeneration
-  Back wash
-  Brine draw and slow rinse
-  Rapid rinse
-  Brine tank refill



THIS PISCES UNIT IS
TIMER CONTROLLED



How
Pisces
works



Fittings - Upon receiving your Pisces unit, read the manual carefully before installing.

The fittings are much the same as washing machine. There are also an excellent range of "push fit" and self piercing fittings to make the job easier. All our softeners are sold with fittings included but if you wish to talk about alternate fittings please call the number below.

Pisces units feature the Fleck 5600 valve consisting of reliable Fleck O-rings for fast regeneration.

Its compact cabinet design is timer controlled -

You would set the time to when you want the regeneration to proceed,

If your original regeneration settings need overriding, the power heads easy dial is all you need to change to reorder your settings.



The rear of the Power head has an "inlet" for the hard water to enter and an "outlet" for the soft water to exit and circulate your home providing consistent, gently softened water. The Brine and Salt housing has a over flow tube that would need run into a drain. The tubes (when fitted) have to have no bending tension or stress on them for the softener to work correctly and prevent damage to the unit.

SPECIFICATION	
Height	636mm
Length	430mm
Width	270mm
Suitable for (...) persons	1-5
Regeneration at 300mg/L	1500ltrs

All other information is available on our websites.

www.spectrum-softeners.co.uk

www.spectrum-env.co.uk



Spectrum

08458 72 62 92

Environmental
Solutions Limited